



# Gipping Rural District Council.

*Council Offices,  
Needham Market,  
Ipswich, Suffolk.*

E. HARWOOD, LL.B. (LOND),  
SOLICITOR,  
CLERK OF THE COUNCIL.

TELEPHONE:  
NEEDHAM MARKET 282.

OUR REF. S/6/40/10.  
YOUR REF.

16th January, 1956.

Dear Sirs,

## Debenham Sewerage Scheme.

I have been instructed by the Council to refer to your notice dated 24th November, 1955, with regard to the discharge of trade effluents into the new public sewer and to enclose herewith the Council's formal consent to such discharge which, you will observe, is subject to the condition of the provision and maintenance of a cast iron trap.

Yours faithfully,

*E. Harwood*

Clerk of the Council.

Messrs. E.W. List & Sons,  
Debenham,  
Nr. Stowmarket.

EH/IW.

RURAL DISTRICT COUNCIL OF GIPPING.

PUBLIC HEALTH (DRAINAGE OF TRADE PREMISES) ACT, 1937.

To Messrs. E. W. List, & Sons,  
Chancery Lane,  
Debenham,  
Nr. Stowmarket.

WHEREAS

(1) You have served on us the Rural District Council of Gipping a trade effluent notice dated as of the date specified in Clause 1 of the attached Schedule in which you have given notice of your desire at the expiration of two months (or any less time to which we may agree) from the date of such notice to connect the private sewers or drains in your premises specified in Clause 2 of the attached schedule to the public sewers vested in us as the local authority for the rural district of Gipping

(2) In the said trade effluent notice you stated that the particulars required by Section 2 of the Public Health (Drainage of Trade Premises) Act, 1937, to be given to us as such local authority as aforesaid in respect of the said proposed discharge were as specified in Clause 3 of the attached Schedule.

(3) We are prepared to give such consent but subject to the conditions hereinafter set forth and to be observed by you.

NOW THEREFORE WE HEREBY GIVE YOU NOTICE that we hereby CONSENT to the connection of your said private sewers or drains with our public sewer at a point described and specified in Clause 4 of the attached schedule on condition that such connection is made at your expense but by or under the supervision of our Surveyor AND that thereafter you may discharge trade effluent into the said public sewer but subject to the conditions specified in Clause 5 of the attached schedule and not otherwise.

AND FURTHER TAKE NOTICE that it is a condition of the consent hereby given that you shall at all times maintain all inspection chambers, manholes and meters so provided in such condition that they may at any time be used forthwith and (so far as respects inspection chambers or manholes) will enable a person readily to take at any time samples of what is passing into the sewer(s) from your premises and (so far as respects meters) that the same are regularly tested and maintained in efficient condition for their purpose.

Dated the *Seventeenth* day of January, 1956.

By order of the Gipping Rural District Council.

*E. Jarwood*  
Clerk of the Council.

Council Offices,  
Needham Market,  
Near Ipswich.

GIPPING RURAL DISTRICT COUNCIL.

SCHEDULE to form of Consent to discharge trade effluent into public sewers.

Name and address of applicant.

1. Date of Trade effluent notice. 24th November, 1955.
2. Address of premises to which the notice relates. Chancery Lane, Debenham.
3. Particulars of proposed discharge.
  - (a) Nature or composition of the proposed trade effluent. Mains water containing a mild form of soap detergent.....
  - (b) Maximum quantity of trade effluent proposed to be discharged on any one day. ....100 gallons.....
  - (c) Highest rate at which it is proposed to discharge the trade effluent. ... 3/4 gallons per minute over a period of 30 minutes.
4. Point of connection to public sewer into which the trade effluent may be discharged. Chancery Lane, Debenham.
5. Conditions to be observed by applicant in respect of the proposed discharge. As specified in the trade effluent notice.
  - (a) Nature or composition of trade effluent which may be discharged ..effluent notice.....
  - (b) Maximum quantity(ies) of any trade effluent which may be so discharged on any one day into each of the sewers above named. .... ditto.....
  - (c) Highest rate(s) at which any trade effluent may be discharged in pursuance of the trade effluent notice (into each of the sewers above named, namely .....ditto.....
  - (d) The period or periods of the day during which the trade effluent may be discharged into the sewer(s) ...At any time.....
  - (e) ~~Means to be taken for excluding any condensing water from the trade effluent.~~ .....
  - (f) Constituents to be eliminated from the effluent before it is permitted to enter the sewer(s) and means to be adopted for such elimination in the case of each constituent. All solid and liquid matter except water and soap detergent. A cast iron sand and oil trap shall be installed in a position to be approved by the Council's Surveyor, and cleansed, emptied and maintained to his satisfaction.

~~(g) Temperature at which the trade effluent may be discharged into the sewer(s).~~ .....

~~(h) Means to be taken for securing that, so far as reasonably practicable, the trade effluent at the time of discharge is neutral, that is to say neither acid nor alkaline.~~ .....

(i) Charges to be made for reception of trade effluent into sewers:-

(a) Rate based on volume. .... None. ....

(b) Additional Charges. .... " ....

(j) Inspection chambers or manholes to be provided for taking of samples. .... None, except as provided in Clause 5 (f) above. ....

(k) Meters to be provided for measuring volume of trade effluent to be discharged. .... None. ....